


SHINWA EXPRESS

Application

VOL. 221

Analysis of Acetonitrile, Acrolein, Acrylonitrile and Metyl Ethyl Ketone using Sunpak-A

Sunpak-A is an ethylvinylbenzene-divinylbenzene polymer packing material. Shown below is an analysis of acetonitrile, acrolein, acrylonitrile and metyl ethyl ketone in water performed using a column packed with a Sunpak-A packing material.



Column: Sunpak-A 80/100 mesh 2.0 m x 3.0 mm I.D. Glass

Detector: FID 230°C

Column temp.: 150°C

Carrier gas: 30 mL/min N₂

Injection port temp.: 250°C

Sample vol.: 1.0 µL

**SHINWA CHEMICAL INDUSTRIES LTD.**

50-2 Kagekatsu-cho, Fushimi-ku
Kyoto 612-8307 Japan
TEL: +81-75-621-2360 FAX: +81-75-602-2660
E-mail: info@shinwa-cpc.co.jp
Website: <https://shinwa-cpc.co.jp/en/>