Information


2018 August

VOL. A10

Sunpak-H

Sunpak-H that belongs to styrene-divinylbenzene copolymer is now available in our Sunpak products that are polymer packing materials for gas chromatography.

- Features of Sunpak-H
- It is suitable for analyses of polar compounds in water.
- It can be used for analyses of propylene glycol in food
- It belongs to USP **S2** (styrene-divinylbenzene copolymer)
- Maximum temperature is 275°C.



Column: 2.1 m x 3.2 mm I.D. Glass

Sample: Lower free fatty acid in water (2000 ppm)

50 mL/min N₂ Carrier gas: Injection port temp.: 250°C

Sample volume: $1.0~\mu L$ Column temp.: 175℃ Detector: 250°C (FID)



50-2 Kagekatsu-cho, Fushimi-ku Kyoto 612-8307 Japan

E-mail: info@shinwa-cpc.co.jp Website: http://shinwa-cpc.co.jp/en/

■ Packing material specifications and price ■

Product name	Weight	Price
Sunpak-H 60/80	20 g (75 mL)	87,000 JPY
Sunpak-H 80/100	20 g (75 mL)	87,000 JPY

■ Packed column specifications and price ■

Product name	Column material	Dimensions	Price
Sunpak-H 60/80	Glass (For GC-2014 systems)	2.1 m x 3.2 mm I.D.	97,600 JPY

Prices for glass columns for Shimadzu systems other than the GC-2014, and systems manufactured by other manufacturers will differ from that shown above. The prices shown above are accurate as of August 6^{th} , 2018. Please contact us for pricing.

Please feel free to contact us with questions related to analyses.

Please be aware that specifications and prices are subject to change without prior notification.